




CPN 86554102
03 / 2019
rev 09




T 21 HAND HELD A MAIN

PARTS LIST


PIECES DETACHEES




Item	CPN	Qty		
10	86226669	1	Support	Support de poignée
20	86226677	1	Support	Support de poignée
30	86247327	1	Rubber grip	Manchette caoutchouc
40	86226685	1	Steel sleeve	Manchette acier
50	86306131	1	T handle including :	Poignée double comprenant :
60	86225158	1	(UNF 5/8", hex. nut	(Ecrou UNF 5/8"
70	86247194	4	(Washer	(Rondelle de manchette
80	86247327	2	(Rubber grip	(Manchette caoutchouc
90	86247319	2	(Steel sleeve	(Manchette acier
100	86247301	1	(UNF 5/8", hex. head screw	(Vis H UNF 5/8"
110	86222882	2	UNF 3/4", hex. nut	Ecrou UNF 3/4"
120	86226479	2	Tie rod	Vis d'assemblage
130	86309911	1	Back head	Tête arrière
140	86247517	1	Threaded plug	Bouchon fileté
150	86247400	1	Gland plug	Bouchon presse étoupe
160	86226644	1	Washer	Rondelle
170	86226651	1	Rubber packing	Garniture caoutchouc
180	86247293	1	Tube	Tube
190	86314614	1	M 8, hex. nut	Ecrou H M 8
200	86314580	1	Pin	Clavette conique fileté
210	86236825	1	Handle	Manette
220	86314622	1	Lever	Levier
230	86314606	1	Spring	Spring
240	86231230	1	Throttle valve	Boisseau d'admission
250	86247335	1	Inlet elbow	Coude d'admission
260	86247210	1	Brass seal	Joint cuivre
270	86247269	1	Inlet seat	Siège d'admission
280	86247178	1	Nipple	Mamelon



Item	CPN	Qty		
290	86236700	1	Distribution box including :	Boîte de distribution comprenant :
■ 300	86222056	1	(O'ring	(Joint torique
310	86226370	1	Valve	Valve
320	86236718	1	Seat valve including :	Siège de valve comprenant :
330	86222056	1	(O'ring	(Joint torique
340	86228806	1	Casing	Fourreau
350	86228384	1	Piston	Piston
360	86238920	1	Complete cylinder including :	Cylindre monté comprenant :
■ 370	86224409	1	(Elastic pin	(Goupille élastique
■ 380	86236072	1	(Snap ring	(Jonc
■ 390	86236064	1	(Tight ring	(Bague d'étanchéité
■ 400	86239621	2	(O'ring	(Joint torique
410	86226206	1	Threaded plug	Bouchon fileté
■ 420	86247137	1	Ring	Bague



Item	CPN	Qty		
430	86581972	1	Rotation nut	Ecrou de rotation
440	86228392	1	Ratchet	Rochet
450	86234218	1	O'ring	Joint torique
			Shank 22 x 108	Emmanchement 22 x 108
	86229101	1	Complete chuck including :	Busette complète comprenant :
460	86228434	1	(Chuck	(Busette
■ 470	86226404	1	(Chuck bushing	(Douille
480	86234218	1	(O'ring	(Joint torique
490	86581980	1	(Chuck nut	(Manchon cannelé
500	86226412	1	Front guide	Guide avant
■ 510	86226420	4	Pawl	Cliquet
■ 520	86226438	4	Push rod	Poussoir
■ 530	86227618	4	Spring	Ressort
540	86247376	1	Retainer pin	Axe de décaleur
550	86247392	1	Plate	Plaque de protection
■ 560	86247384	1	Buffer	Tampon caoutchouc
570	86226461	1	Retainer	Décaleur
580	86226453	2	Spring	Ressort
■ 590	86226446	2	Retainer lock	Verrou de décaleur
600	86718558	1	Sticker "MONTABERT"	Adhésif "MONTABERT"



Item CPN Qty

OPTIONS

With protection screen

610	86228947	2
620	86229838	1
630	86229820	1

OPTIONS

Cylindre capoté

Vis d'assemblage
Bouchon fileté
Capot

Shank 22 x 82

86229127	1	Complete chuck including :
640	86228426	(Chuck
650	86226842	(Chuck bushing
660	86234218	(O'ring
670	86581980	(Chuck nut
680	86226826	Retainer

Emmanchement 22 x 82

Busette complète comprenant :
(Busette
(Douille
(Joint torique
(Manchon cannelé
Décaleur

ACCESSORIES

86247459	1	Puch / retainer pin
86304706	1	Dismantling tool
86224771	1	Nipple
86236809	1	Complete throttle valve
86236817	1	Complete throttle valve

ACCESSOIRES

Poinçon / axe de décaleur
Jet
Mamelon
Boisseau monté
Boisseau monté

86477353	1	Recommended spares kit including :	Stock sécurité comprenant :
		(All parts marked ■	(Toutes les pièces notées ■

MONTABERT®

MONTABERT SAS
203 Route de Grenoble
CS 80097
69805 St PRIEST CEDEX
FRANCE _____

© Copyright Montabert®. Any unauthorized use or copying of the contents or any part thereof is prohibited. Illustrations and photos in this brochure may show equipment with optional extras. Nothing contained in this brochure is intended to extend any warranty or representation expressed or implied, regarding the products described herein. Any such warranties or other terms and conditions of sale products shall be in accordance with Montabert's standard terms and conditions of sale for such products, which are available upon request. Specifications and machines can be modified at any time and without notice. Montabert® Société par Actions Simplifiée (SAS) au capital de 8.459.359 € - 397 482 647 RCS LYON



www.montabert.com